



#### Nancy Laboratory for Rabies and Wildlife

European Union Reference Laboratory for Rabies

European Union Reference Institute for Rabies Serology

WHO Collaborating Centre for Research and Management in Zoonoses Control

> OIE Reference Laboratory for Rabies



ANSES - Nancy Laboratory for Rabies and Wildlife Technopole Agricole et Vétérinaire, BP 40 009, 54220 MALZEVILLE Cedex, France

Phone: +33.3.83.29.89.50 - Fax: 33.3.83.29.89.58

Internet EURL web site: http://www.ansespro.fr/eurl-rabies/

# USE OF FTA PAPER

Fast Technology for Analysis paper

TECHNICAL protocol




### What is FTA® Paper?

«The filter paper matrix of the FTA® Gene Guard 42 system is impregnated with a chaotropic agent that denatures infectious micro-organisms.

Proprietary chemicals impregnated into the paper lyse cellular material and fix and preserve DNA and RNA within the

fibrematrix (Whatman, 2006a\*), hence samples are no longer considered infectious. This allows the storage and transport of samples without specific biohazard precautions».



\* Fibrematrix with DNA molecules scotched

#### For more information:

http://www.whatman.com/FTANucleicAcidCollectionStoraeandPurification.asmx

Picard-Meyer E, Barrat J, Cliquet F: Use of filter paper (FTA) technology for sampling, recovery and molecular characterisation of rabies virus. J Virol Methods 2007, 140:174-182

## TECHNICAL protocol

#### **CAUTION: HANDLE WITH GLOVES**

- Place the FTA® Card on a clean, dry, flat surface. Identify the FTA® Card with a unique name, number, etc.
- 2. Pipet 25µl of biological sample to type (rabies virus suspension: supernatant of 10% brain homogenate, rabies virus grown in cell culture medium, etc...)
- Carefully lift the paper cover of the FTA®
   Card to expose the white sample area.
   Apply the volume of 25µl within the sample circle area.
- 4. Let the FTA® card opened for drying for at least 1 hour at room temperature.
- 5. If samples are to be applied to more than one FTA® sample area, use a new tip for each new card and repeat steps 1-4.
- 6. When the FTA® card is dry, put FTA® paper with a 1mg desiccant packet in an envelope and send it without any specific precautions



