

**1801-01352-01 Report annex
Control Report
Batch control of a Rose Bengal Test Antigen
(Animal brucellosis serology)**

**French Agency for Food,
Environmental &
Occupational Health
Safety**

Maisons-Alfort

LABORATOIRE DE SANTE
ANIMALE

ANIMAL HEALTH LABORATORY

Unité Zoonoses Bactériennes
Bacterial Zoonoses Unit

Laboratoire National de
Référence pour la
Brucellose, la Chlamydiose,
la Fièvre Charbonneuse, la
Morve, la Tuberculose & la
Tularémie animales

*Animal Anthrax, Brucellosis,
Chlamydiosis, Glanders,
Tuberculosis & Tularemia
National Reference
Laboratory*

Laboratoire de Référence
O.I.E. / FAO
pour la Brucellose,
la Paratuberculose et
la Tuberculose bovine

*OIE /FAO
Reference Laboratory
for Brucellosis,
Bovine Paratuberculosis
and Tuberculosis*

Laboratoire de Référence de
l'UE pour la Brucellose

*EU Reference Laboratory for
Brucellosis*

Laboratoire de Référence de
l'UE pour les Maladies
Equines (Morve)

*EU Reference Laboratory for
Equine Diseases (Glanders)*

Version 4_2014-01

Supplier / Manufacturer	ZOETIS	
Commercial name	BENGATEST litre	
Product reference	ABGT	
Batch number	17ZBAC003	
Expiry date	02 May 2021	
Description	Serological diagnosis of animal brucellosis by Rose Bengal Test (RBT). Vial of 100 mL.	
Batch size	182	
Reference ANSES	D-17-5025/10482	
Date of control	19 January 2018	
Standard references	Annex C of 64/432/EC directive and OIE Manual of Diagnostic Tests and Vaccines for Terrestrial Animals (Chapt. 2.1.4) (<i>Current versions</i>)	
Operating procedure	French standards AFNOR NF U 47-304 abrogated & U 47-003	
Instructions for use	Satisfactory (version : February 2013)	
Control test	Criteria	Results
Purity (Gram staining)	Gram negative coccobacilli	Passed
Antigen titration BRU POS SE 01*	Positive at 1/45 dilution Negative at 1/55 dilution	Passed
Sensitivity 5 positive sera	Always positive	Passed
Specificity 5 negative sera	Always negative	Passed
Conclusion	Passed	

* French National Standard equivalent to the OIEISS

Maisons-Alfort, 25 January 2018



Claire Ponsart
UE / OIE / FAO Reference
Laboratory for Brucellosis

This report applies only to the items submitted to control.
Reproduction of this report is authorized in its integral form only.
This report includes 0 annex (es)

EU Reference Laboratory
for Brucellosis

Laboratoire de Référence de l'UE
pour la Brucellose



OIE/FAO Brucellosis Reference Laboratory

Laboratoire de Référence OIE/FAO
pour la Brucellose

