



**French Agency for Food,
Environmental &
Occupational Health
Safety**

Maisons-Alfort

**LABORATOIRE DE SANTE
ANIMALE**

ANIMAL HEALTH LABORATORY

Unité Zoonoses Bactériennes
Bacterial Zoonoses Unit

Laboratoire National de
Référence pour la
Brucellose, la Chlamydie,
la Fièvre Charbonneuse, la
Morve, la Tuberculose & la
Tularémie animales

*Animal Anthrax, Brucellosis,
Chlamydiosis, Glanders,
Tuberculosis & Tularaemia
National Reference
Laboratory*

Laboratoire de Référence
O.I.E. / FAO
pour la Brucellose,
la Paratuberculose et
la Tuberculose bovine

*OIE /FAO
Reference Laboratory
for Brucellosis,
Bovine Paratuberculosis
and Tuberculosis*

Laboratoire de Référence de
l'UE pour la Brucellose

*EU Reference Laboratory for
Brucellosis*

Laboratoire de Référence de
l'UE pour les Maladies
Equines (Morve)

*EU Reference Laboratory for
Equine Diseases (Glanders)*

Version 4_2014-01

Supplier / Manufacturer

ID.vet

Commercial name

Brucellosis Antigen for CFT

Product reference

AG-BRU

Batch number

006

Expiry date

march 2020

Description

Serological diagnosis of animal brucellosis by
Complement Fixation Test (CFT).
Vial of 5 mL.

Batch size

20

Reference ANSES

D-18-1102/3088

Date of control

15 may 2018

Standard references

Annex C of 64/432/EC directive and OIE Manual of
Diagnostic Tests and Vaccines for Terrestrial Animals
(Chapt. 2.4.3) (*Current versions*)

Operating procedure

French standards AFNOR NF U 47-304 & U 47-004

Instructions for use

Satisfactory (version : 0512)

Control test	Criteria	Results
Purity (Gram staining)	Gram negative coccobacilli	Passed
Antigen titration BRU POS SE 02*	50% haemolysis inhibition at the 1/200 dilution	Passed
Sensitivity 5 positive sera	Always positive	Passed
Specificity 5 negative sera	Always negative	Passed

Conclusion	Passed
-------------------	---------------

* French National Standard equivalent to the OIEISS

Maisons-Alfort, 23 may 2018.

Acacia FERREIRA VICENTE
UE / OIE / FAO Reference
Laboratory for Brucellosis

This report applies only to the items submitted to control.
Reproduction of this report is authorized in its integral form only.
This report includes 0 annex (es)

