



**French Agency for Food,
Environmental &
Occupational Health
Safety**

Maisons-Alfort

LABORATOIRE DE SANTE
ANIMALE

ANIMAL HEALTH LABORATORY

Unité Zoonoses Bactériennes
Bacterial Zoonoses Unit

Laboratoire National de
Référence pour la
Brucellose, la Chlamydie, la
Fièvre Charbonneuse, la
Morve, la Tuberculose & la
Tularémie animales

*Animal Anthrax, Brucellosis,
Chlamydiosis, Glanders,
Tuberculosis & Tularaemia
National Reference
Laboratory*

Laboratoire de Référence
O.I.E. / FAO
pour la Brucellose,
la Paratuberculose et
la Tuberculose bovine

*OIE /FAO
Reference Laboratory
for Brucellosis,
Bovine Paratuberculosis
and Tuberculosis*

Laboratoire de Référence de
l'UE pour la Brucellose

*EU Reference Laboratory for
Brucellosis*

Laboratoire de Référence de
l'UE pour les Maladies
Equines (Morve)

*EU Reference Laboratory for
Equine Diseases (Glanders)*

Version 4_2014-01

Supplier / Manufacturer IDVET
Commercial name ID Screen® Bovine Brucellosis Indirect
Product reference BRUS
Batch number C68
Expiry date 28 January 2020
Description Serological diagnosis of bovine brucellosis by indirect ELISA. Individual sera or pools of 10 sera.
Batch size 1500 plates

Reference ANSES D-18-243/431
Date of control 05 March 2018
Standard references Annex C of 64/432/EC directive and OIE Manual of Diagnostic Tests and Vaccines for Terrestrial Animals (Chapt. 2.1.4.) (*Current versions*)
Operating procedure French standard AFNOR NF U 47-310
Instructions for use Satisfactory (version : 0215)

Control test	Criteria	Results
Criteria for test validity	OD pos > 0.350 OD pos / OD neg > 3	Passed
Detectability BRU POS SE 03*	Positive at 1/16 dilution	Passed
Lower limit of detection BRU POS SE 03*	Negative at 1/64 dilution	Passed
Repeatability Positive serum (<i>close to cut-off</i>)	CV<10%	Passed
Sensitivity 5 positive sera	Always positive	Passed
Specificity 5 negative sera	Always negative	Passed

Conclusion Passed

* French National Standard equivalent to the OIEELIS_{spSS}

Maisons-Alfort, 06 March 2018

Claire Ponsart
UE / OIE / FAO Reference
Laboratory for Brucellosis

This report applies only to the items submitted to control.
Reproduction of this report is authorized in its integral form only.
This report includes 0 annex (es)

