



**French Agency for Food,  
Environmental &  
Occupational Health  
Safety**

Maisons-Alfort

**LABORATOIRE DE SANTE  
ANIMALE**

**ANIMAL HEALTH LABORATORY**

Unité Zoonoses Bactériennes  
*Bacterial Zoonoses Unit*

Laboratoire National de  
Référence pour la  
Brucellose, la Chlamydie,  
la Fièvre Charbonneuse, la  
Morve, la Tuberculose & la  
Tularémie animales

*Animal Anthrax, Brucellosis,  
Chlamydia, Glanders,  
Tuberculosis & Tularaemia  
National Reference  
Laboratory*

Laboratoire de Référence  
O.I.E. / FAO  
pour la Brucellose,  
la Paratuberculose et  
la Tuberculose bovine

*OIE /FAO  
Reference Laboratory  
for Brucellosis,  
Bovine Paratuberculosis  
and Tuberculosis*

Laboratoire de Référence de  
l'UE pour la Brucellose

*EU Reference Laboratory for  
Brucellosis*

Laboratoire de Référence de  
l'UE pour les Maladies  
Equines (Morve)

*EU Reference Laboratory for  
Equine Diseases (Glanders)*

Version 4\_2014-01

Supplier / Manufacturer	ZOETIS France (SYNBIOTICS Europe)
Commercial name	Antigen SAW
Product reference	ASAW
Batch number	18ZBAI002
Expiry date	08 june 2021
Description	Serological diagnosis of animal brucellosis by Seroagglutination Test (SAT). Vial of 100 mL.
Batch size	50

Reference ANSES	D-18-2587/4142
Date of control	31 july 2018
Standard references	Annex C of 64/432/EC directive and OIE Manual of Diagnostic Tests and Vaccines for Terrestrial Animals (Chapt. 2.4.3) ( <i>Current versions</i> )
Operating procedure	French standards AFNOR NF U 47-304 abrogated & U 47-021
Instructions for use	Satisfactory (version : February 2013)

Control test	Criteria	Results
<b>Purity</b> (Gram staining)	Gram negative coccobacilli	<b>Passed</b>
<b>Antigen titration</b> BRU POS SE 02*	50% agglutination at the 1/650 dilution	<b>Passed</b>
<b>Sensitivity</b> 5 positive sera	Always positive	<b>Passed</b>
<b>Specificity</b> 5 negative sera	Always negative	<b>Passed</b>

<b>Conclusion</b>	<b>Passed</b>
-------------------	---------------

\* French National Standard equivalent to the OIEISS

Maisons-Alfort, 01 august 2018

Acacia FERREIRA VICENTE  
UE / OIE / FAO Reference  
Laboratory for Brucellosis

This report applies only to the items submitted to control.  
Reproduction of this report is authorized in its integral form only.  
This report includes 0 annex (es)

