



**French Agency for Food,  
Environmental &  
Occupational Health  
Safety**

Maisons-Alfort

LABORATOIRE DE SANTE  
ANIMALE

ANIMAL HEALTH LABORATORY

Unité Zoonoses Bactériennes  
Bacterial Zoonoses Unit

Laboratoire National de  
Référence pour la  
Brucellose, la Chlamydiose,  
la Fièvre Charbonneuse, la  
Morve, la Tuberculose & la  
Tularémie animales

Animal Anthrax, Brucellosis,  
Chlamydiosis, Glanders,  
Tuberculosis & Tularemia  
National Reference  
Laboratory

Laboratoire de Référence  
O.I.E. / FAO  
pour la Brucellose,  
la Paratuberculose et  
la Tuberculose bovine

OIE /FAO  
Reference Laboratory  
for Brucellosis,  
Bovine Paratuberculosis  
and Tuberculosis

Laboratoire de Référence de  
l'UE pour la Brucellose

EU Reference Laboratory for  
Brucellosis

Laboratoire de Référence de  
l'UE pour les Maladies  
Equines (Morve)

EU Reference Laboratory for  
Equine Diseases (Glanders)

Version 4\_2014-01

Supplier / Manufacturer ZOETIS France

Commercial name ANTIFIX

Product reference AATI

Batch number 18ZBAA003

Expiry date 03 January 2020

Description Serological diagnosis of animal brucellosis by  
Complement Fixation Test (CFT).  
Vial of 20 mL.

Batch size 95

Reference ANSES D-18-3554/5431

Date of control 29 august 2018

Standard references Annex C of 64/432/EC directive and OIE Manual of  
Diagnostic Tests and Vaccines for Terrestrial Animals  
(Chapt. 2.4.3) (Current versions)

Operating procedure French standards AFNOR NF U 47-304 & U 47-004

Instructions for use Satisfactory (version : February 2013)

Control test	Criteria	Results
<b>Purity</b> (Gram staining)	Gram negative coccobacilli	<b>Passed</b>
<b>Antigen titration</b> BRU POS SE 02*	50% haemolysis inhibition at the 1/200 dilution	<b>Passed</b>
<b>Sensitivity</b> 5 positive sera	Always positive	<b>Passed</b>
<b>Specificity</b> 5 negative sera	Always negative	<b>Passed</b>

<b>Conclusion</b>	<b>Passed</b>
-------------------	---------------

\* French National Standard equivalent to the OIEISS

Maisons-Alfort, 30 august 2018

Acacia FERREIRA VICENTE  
UE / OIE / FAO Reference  
Laboratory for Brucellosis

This report applies only to the items submitted to control.  
Reproduction of this report is authorized in its integral form only.  
This report includes 0 annex (es)

