



**French Agency for Food,  
Environmental &  
Occupational Health  
Safety**

Maisons-Alfort

LABORATOIRE DE SANTE  
ANIMALE

ANIMAL HEALTH LABORATORY

Unité Zoonoses Bactériennes  
Bacterial Zoonoses Unit

Laboratoire National de  
Référence pour la  
Brucellose, la Chlamydie,  
la Fièvre Charbonneuse, la  
Morve, la Tuberculose & la  
Tularémie animales

Animal Anthrax, Brucellosis,  
Chlamydiosis, Glanders,  
Tuberculosis & Tularaemia  
National Reference  
Laboratory

Laboratoire de Référence  
O.I.E. / FAO  
pour la Brucellose,  
la Paratuberculose et  
la Tuberculose bovine

OIE /FAO  
Reference Laboratory  
for Brucellosis,  
Bovine Paratuberculosis  
and Tuberculosis

Laboratoire de Référence de  
l'UE pour la Brucellose

EU Reference Laboratory for  
Brucellosis

Laboratoire de Référence de  
l'UE pour les Maladies  
Equines (Morve)

EU Reference Laboratory for  
Equine Diseases (Glanders)

Version 4\_2014-01

Supplier / Manufacturer	ZOETIS
Commercial name	BENGATEST
Product reference	ABGTC
Batch number	18ZBAC008
Expiry date	25 March 2022
Description	Serological diagnosis of animal brucellosis by Rose Bengal Test (RBT). Vial of 10 mL
Batch size	100 vials

Reference ANSES	D-18-4721/7387
Date of control	30 October 2018
Standard references	Annex C of 64/432/EC directive and OIE Manual of Diagnostic Tests and Vaccines for Terrestrial Animals (Chapt. 2.1.4) (Current versions)
Operating procedure	French standards AFNOR NF U 47-304 abrogated & U 47-003
Instructions for use	Satisfactory (version : April 2017)

Control test	Criteria	Results
<b>Purity</b> (Gram staining)	Gram negative coccobacilli	<b>Passed</b>
<b>Antigen titration</b> BRU POS SE 01*	Positive at 1/45 dilution Negative at 1/55 dilution	<b>Passed</b>
<b>Sensitivity</b> 5 positive sera	Always positive	<b>Passed</b>
<b>Specificity</b> 5 negative sera	Always negative	<b>Passed</b>

<b>Conclusion</b>	<b>Passed</b>
-------------------	---------------

\* French National Standard equivalent to the OIEISS

Maisons-Alfort, 09 November 2018

Acacia FERREIRA VICENTE  
UE / OIE / FAO Reference  
Laboratory for Brucellosis

This report applies only to the items submitted to control.  
Reproduction of this report is authorized in its integral form only.  
This report includes 0 annex (es)