



**French Agency for Food,  
Environmental &  
Occupational Health  
Safety**

Maisons-Alfort

**LABORATOIRE DE SANTE  
ANIMALE**

**ANIMAL HEALTH LABORATORY**

Unité Zoonoses Bactériennes  
*Bacterial Zoonoses Unit*

Laboratoire National de  
Référence pour la  
Brucellose, la Chlamydie,  
la Fièvre Charbonneuse, la  
Morve, la Tuberculose & la  
Tularémie animales

*Animal Anthrax, Brucellosis,  
Chlamydiosis, Glanders,  
Tuberculosis & Tularaemia  
National Reference  
Laboratory*

Laboratoire de Référence  
O.I.E. / FAO  
pour la Brucellose,  
la Paratuberculose et  
la Tuberculose bovine

*OIE /FAO  
Reference Laboratory  
for Brucellosis,  
Bovine Paratuberculosis  
and Tuberculosis*

Laboratoire de Référence de  
l'UE pour la Brucellose

*EU Reference Laboratory for  
Brucellosis*

Laboratoire de Référence de  
l'UE pour les Maladies  
Equines (Morve)

*EU Reference Laboratory for  
Equine Diseases (Glanders)*

Version 3\_2014-01

Supplier / Manufacturer	IDEXX Montpellier SAS
Commercial name	POURQUIER Brucellose Positive Control
Product reference	P00130
Batch number	420
Expiry date	04 December 2022
Description	Internal reference material (animal brucellosis serology) Vial of 1 mL.

Reference ANSES	D-18-558/1028
Date of control	15 March 2018
Standard references	Annex C of 64/432/EC directive and OIE Manual of Diagnostic Tests and Vaccines for Terrestrial Animals (Chapt. 2.1.4) ( <i>Current versions</i> )
Operating procedure	French standards AFNOR NF U 47-003, NF U 47-004, NF U 47-019 et NF 47-021

Control test	Methods	Results*
<b>Rose Bengal Test</b>	NF U 47-003	+++
<b>Complement Fixation Test</b>	NF U 47-004	<b>80 IU/ml</b> [40; 160]
<b>Seroagglutination Test</b>	NF 47-021	<b>70 IU/ml</b> [35; 140]
<b>iELISA (serum individual)*</b>	NF U 47-019	<b>147 %</b> [cut-off 110-120]

\*The results are for indication only

Maisons-Alfort, 20 March 2018

Claire Ponsart  
UE / OIE / FAO Reference  
Laboratory for Brucellosis

This report applies only to the items submitted to control.  
Reproduction of this report is authorized in its integral form only.  
This report includes 0 annex (es)

\*kit iELISA Brucellosis serum Bovine batch 6094; short incubation; cut-off: 110-120%

