



**French Agency for Food,
Environmental &
Occupational Health
Safety**

Maisons-Alfort

LABORATOIRE DE SANTE
ANIMALE

ANIMAL HEALTH LABORATORY

Unité Zoonoses Bactériennes
Bacterial Zoonoses Unit

Laboratoire National de
Référence pour la
Brucellose, la Chlamydie, la
Fièvre Charbonneuse, la
Morve, la Tuberculose & la
Tularémie animales

Animal Anthrax, Brucellosis,
Chlamydiosis, Glanders,
Tuberculosis & Tularaemia
National Reference
Laboratory

Laboratoire de Référence
O.I.E. / FAO
pour la Brucellose,
la Paratuberculose et
la Tuberculose bovine

OIE /FAO
Reference Laboratory
for Brucellosis,
Bovine Paratuberculosis
and Tuberculosis

Laboratoire de Référence de
l'UE pour la Brucellose

EU Reference Laboratory for
Brucellosis

Laboratoire de Référence de
l'UE pour les Maladies
Equines (Morve)

EU Reference Laboratory for
Equine Diseases (Glanders)

Version 4_2014-01

Supplier / Manufacturer	ZOETIS France (SYNBIOTICS Europe)
Commercial name	Antigen SAW
Product reference	ASAW
Batch number	18ZBAI003
Expiry date	22 november 2021
Description	Serological diagnosis of animal brucellosis by Seroagglutination Test (SAT). Vial of 100 mL.
Batch size	50
Reference ANSES	D-18-5723/8954
Date of control	02 january 2019
Standard references	Annex C of 64/432/EC directive and OIE Manual of Diagnostic Tests and Vaccines for Terrestrial Animals (Chapt. 2.4.3) (Current versions)
Operating procedure	French standards AFNOR NF U 47-304 abrogated & U 47-021
Instructions for use	Satisfactory (version : February 2013)

Control test	Criteria	Results
Purity (Gram staining)	Gram negative coccobacilli	Passed
Antigen titration BRU POS SE 02*	50% agglutination at the 1/650 dilution	Passed
Sensitivity 5 positive sera	Always positive	Passed
Specificity 5 negative sera	Always negative	Passed

Conclusion	Passed
-------------------	---------------

* French National Standard equivalent to the OIEISS

Maisons-Alfort, 09 January 2019

Acacia FERREIRA VICENTE
UE / OIE / FAO Reference
Laboratory for Brucellosis

This report applies only to the items submitted to control.
Reproduction of this report is authorized in its integral form only.
This report includes 0 annex (es)

