

**Laboratoire de  
Santé Animale**

**Unité Zoonoses  
Bactériennes**

*Laboratoire National de  
Référence pour la Brucellose,  
les Mycobactérioses, la  
Tularémie, le Charbon  
bactérien, la Morve et pour  
la Chlamydie aviaire*

*Brucellosis, Mycobacterioses,  
Tularemia, Anthrax,  
Glanders and Avian  
Chlamydiosis French  
Reference Laboratory*

*Laboratoire de Référence  
O.I.E pour la Brucellose,  
les Chlamydioses aviaire et  
abortive, la Morve et la  
Tuberculose bovine*

*Brucellosis,  
Avian Chlamydiosis,  
Enzootic Abortion in ewe,  
Glanders and bovine  
Tuberculosis  
OIE Reference Laboratory*

*Laboratoire Communautaire  
de Référence pour la  
Brucellose et la Morve*

*EU Community Reference  
Laboratory for Brucellosis  
and Glanders*

Version 1\_2021-01

**Animal brucellosis serology**

**Antigens and Kits batches approved by ANSES**



anses

Brucellosis SAT antigen – Batches approved by ANSES			
Supplier	Product reference	Batch No.	Expiry date
ZOETIS	ASAW	19ZBAI004	11/14/2022
ZOETIS	ASAW	21ZBAI005	03/09/2024
ZOETIS	ASAW	21ZBAI006	02/24/2024

Brucellosis CF antigen – Batches approved by ANSES			
Supplier	Product reference	Batch No.	Expiry date
IDEXX	P00120	437	05/27/2022
IDEXX	P00120	461	03/02/2024
Innovative Diagnostics	AG BRU	010	02/2023
Innovative Diagnostics	AG BRU	011	03/2024

Contagious Epididymitis antigen (B.ovis) – Batches approved by ANSES			
Supplier	Product reference	Batch No.	Expiry date
Innovative Diagnostics	AG-OCE	004	04/2022
Innovative Diagnostics	AG-OCE	006	11/2024

Brucellosis Milk Ring Test antigen Batches approved by ANSES (Bovine bulk tank milk samples)			
Supplier	Product reference	Batch No.	Expiry date
Nil	Nil	Nil	Nil

Brucellosis ELISA - Kits approved by ANSES (bovine serum or milk)							
Supplier	Kit	Product reference	Matrix			Batch No.	Expiry date
			IS	PS	M		
IDEXX	IDEXX Brucellosis Milk	P04210-10			x	20037	07/08/2022
IDEXX	IDEXX Brucellosis Milk	P04210-2			x	20094	07/08/2022
IDEXX	IDEXX Brucellosis Milk	P04210-10			x	21063	06/29/2023
IDEXX	IDEXX Brucellosis Milk	P04210-2			x	21077	04/29/2023
IDEXX	IDEXX Brucellosis Milk	P04210-2			x	21110	07/20/2023
IDEXX	IDEXX Brucellosis Serum	P04130-10	x	x		20087	08/21/2022
IDEXX	IDEXX Brucellosis Serum	P04130-2	x	x		20176	07/28/2022
IDEXX	IDEXX Brucellosis Serum	P04130-10	x	x		21004	01/04/2023
IDEXX	IDEXX Brucellosis Serum	P04130-2	x	x		21009	04/07/2023
IDEXX	IDEXX Brucellosis Serum	P04130-10	x	x		21024	04/07/2023
IDEXX	IDEXX Brucellosis Serum	P04130-10	x	x		21070	08/03/2023
IDEXX	IDEXX Brucellosis Serum	P04130-10	x	x		21107	Nov 23,2023
IDEXX	IDEXX Brucellosis Serum	P04130-2	x	x		21064	Nov 23,2023
Innovative Diagnostics	ID Screen Brucellosis Milk Indirect	BRUMILK			x	G03	02/28/2022
Innovative Diagnostics	ID Screen Brucellosis Milk Indirect	BRUMILK			x	I43	01/2023
Innovative Diagnostics	ID Screen Brucellosis Milk Indirect	BRUMILK			x	J29	01/28/2024
Innovative Diagnostics	ID Screen Bovine Brucellosis Indirect	BRUS	x	x		F81	01/28/2022
Innovative Diagnostics	ID Screen Bovine Brucellosis Indirect	BRUS	x	x		H59	01/28/2023
Innovative Diagnostics	ID Screen Bovine Brucellosis Indirect	BRUS	x	x		J30	01/28/2024



**anses**

IS = individual serum - PS = pool of 10 sera - M = Milk bulk tank sample

\* short incubation only

<b>Brucellosis RBT (Rose Bengal) antigen - Batches approved by ANSES</b>			
<b>Supplier</b>	<b>Product reference</b>	<b>Batch No.</b>	<b>Expiry date</b>
IDEXX	P00215	438	04/29/2022
IDEXX	P00230	440	04/29/2022
IDEXX	P00215	451	06/30/2023
IDEXX	P00215	458	12/31/2023
IDEXX	P00215	465	07/30/2024
IDEXX	P00215	469	08/30/2024
ZOETIS	ABGT	18ZBAB016	02/23/2022
ZOETIS	ABGT	18ZBAB017	03/07/2022
ZOETIS	ABGT	18ZBAB018	03/25/2022
ZOETIS	ABGT	18ZBAB019	04/26/2022
ZOETIS	ABGT	18ZBAB020	05/08/2022
ZOETIS	ABGT	18ZBAB021	05/23/2022
ZOETIS	ABGTC	18ZBAC007	02/23/2022
ZOETIS	ABGTC	18ZBAC008	25/03/2022
ZOETIS	ABGTC	18ZBAC009	05/23/2022
ZOETIS	ABGTC	18ZBAC010	06/20/2022
ZOETIS	ABGTC	18ZBAC011	02/23/2022
<b>ZOETIS</b>	<b>ABGTL</b>	<b>18ZBAD007</b>	<b>01/26/2022</b>
ZOETIS	ABGTL	18ZBAD008	07/03/2022
ZOETIS	ABGTL	18ZBAD009	04/26/2022
ZOETIS	ABGTL	18ZBAD010	05/08/2022
ZOETIS	ABGTL	18ZBAD011	20/06/2022
ZOETIS	ABGT	19ZBAB022	07/17/2022
ZOETIS	ABGT	19ZBAB023	08/07/2022
ZOETIS	ABGT	19ZBAB024	08/22/2022
ZOETIS	ABGT	19ZBAB025	09/18/2022
ZOETIS	ABGT	19ZBAB026	10/04/2022
ZOETIS	ABGT	19ZBAB027	10/25/2022
ZOETIS	ABGT	19ZBAB028	11/16/2022
ZOETIS	ABGT	19ZBAB029	04/22/2023
ZOETIS	ABGT	19ZBAB030	06/17/2023
ZOETIS	ABGTC	19ZBAC011	17/07/2022
ZOETIS	ABGTC	19ZBAC012	06/12/2022
ZOETIS	ABGTC	19ZBAC013	28/02/2023
ZOETIS	ABGTC	19ZBAC014	10/03/2023
ZOETIS	ABGTC	19ZBAC015	12/03/2023
ZOETIS	ABGTL	19ZBAD012	07/08/2022
ZOETIS	ABGTL	19ZBAD013	18/09/2022
ZOETIS	ABGTL	19ZBAD014	04/10/2022
ZOETIS	ABGTL	19ZBAD015	25/01/2023
ZOETIS	ABGT	20ZBAB031	05/11/2023
ZOETIS	ABGTC	20ZBAC016	07/17/2023
ZOETIS	ABGTC	20ZBAC017	08/07/2023
ZOETIS	ABGT	21ZBAB032	09/04/2024



**anses**

ZOETIS	ABGT	21ZBAB033	06/18/2024
ZOETIS	ABGT	21ZBAB034	11/11/2024
ZOETIS	ABGT	21ZBAB035	11/20/2024
ZOETIS	ABGT	21ZBAB036	12/10/2024
ZOETIS	ABGT	21ZBAB037	16 March 2025
ZOETIS	ABGTC	21ZBAC018	12/08/2024
Innovative Diagnostics	RSA-RB	028	11/2022
Innovative Diagnostics	RSA-RB	030	02/2024
Innovative Diagnostics	RSA-RB	031	12/2024
Innovative Diagnostics	RSA-RB-100	031	02/2024
Innovative Diagnostics	RSA-RB-100	032	12/2024

**Brucellin skin test - Batches approved by ANSES**

Supplier	Product name	Product reference	Batch No.	Expiry date
ZOETIS	Brucellergène OCB	MDEVX50BXX1Z1	920115	05/2022

**Positive / Negative control serum - Batches titled by ANSES**

Supplier	Product name	Product reference	Batch No.	Expiry date
IDEXX	Brucellose positive control	P00130	420	12/04/2022
IDEXX	Brucellose positive control	P00130	428	10/08/2023
IDEXX	Brucellose positive control	P00130	439	07/14/2024
IDEXX	Brucellose positive control	P00130	448	01/26/2025
IDEXX	Brucellose positive control	P00130	456	11/29/2025
IDEXX	Brucellose positive control	P00130	474	11/15/2026
IDEXX	Brucellose negative control	P00131	472	10/11/2026
Innovative Diagnostics	Brucellose positive control	MRI-BRU	005	03/2028
Innovative Diagnostics	Brucellose positive control	MRI-BRU	007	09/2029